



E-ISSN: 2663-1067
P-ISSN: 2663-1075
<https://www.hortijournal.com>
IJHFS 2023; 5(1): 125-128
Received: 20-04-2023
Accepted: 23-05-2023

Kenji Suzuki
Department of Biotechnology,
Kyoto University, Kyoto,
Japan

The impact of genetic engineering on horticultural crop improvement

Kenji Suzuki

DOI: <https://doi.org/10.33545/26631067.2023.v5.i1b.207>

Abstract

Genetic engineering has revolutionized horticultural crop improvement by enabling the precise manipulation of plant genomes to enhance desirable traits. This review article explores the impact of genetic engineering on horticulture, examining advancements in crop yield, pest resistance, nutritional quality, and environmental adaptability. We discuss the methodologies employed, including CRISPR/Cas9 and transgenic approaches, and their applications in various horticultural crops. The article also addresses the regulatory, ethical, and societal implications of genetically engineered horticultural crops, emphasizing the need for continued research and responsible deployment of these technologies.

Keywords: Genetic engineering, crop improvement, environmental adaptability

Introduction

Horticulture, the art and science of growing fruits, vegetables, flowers, and ornamental plants, plays a vital role in global food security and economic development. Traditional breeding methods, while effective, are often time-consuming and limited by the genetic variability available within a species. Genetic engineering, which allows for the direct modification of an organism's DNA, offers unprecedented opportunities for crop improvement. This review aims to provide a comprehensive overview of the impact of genetic engineering on horticultural crops, highlighting key advancements, methodologies, and implications.

Main Objective

The main objective of this review article is to explore the impact of genetic engineering on horticultural crop improvement, focusing on advancements in crop yield, pest resistance, nutritional quality, and environmental adaptability, while also addressing the methodologies employed and the regulatory, ethical, and societal implications of these technologies.

Literature Review

Increasing crop yield has been a central focus of genetic engineering in horticulture. Studies have demonstrated that manipulating photosynthetic pathways can significantly boost biomass production. For instance, Long *et al.* (2006) ^[1] explored the potential of enhancing photosynthesis-related genes to increase crop yield. Their research indicated that modifying the expression of key enzymes involved in the Calvin cycle could lead to higher photosynthetic efficiency and, consequently, greater biomass accumulation. Additionally, Nelson *et al.* (2007) ^[2] reported that the overexpression of nuclear factor Y (NF-Y) subunits in maize led to improved drought tolerance and increased yields under water-limited conditions. This study highlighted the potential of genetic engineering to enhance crop performance in suboptimal environments by targeting stress-responsive genes. Genetic engineering has also made significant strides in developing pest and disease-resistant horticultural crops. The introduction of *Bacillus thuringiensis* (Bt) genes into crops such as tomatoes and eggplants has been a notable success. Shelton *et al.* (2002) ^[3] demonstrated that Bt-transgenic crops effectively resist lepidopteran pests, reducing the need for chemical insecticides and minimizing crop losses.

Corresponding Author:
Kenji Suzuki
Department of Biotechnology,
Kyoto University, Kyoto,
Japan

In the realm of disease resistance, Fuchs and Gonsalves (2007) ^[4] provided a comprehensive review of virus-resistant transgenic plants, emphasizing the successful deployment of genetically modified papaya to combat the papaya ringspot virus. Their work underscored the importance of field risk assessment studies in validating the safety and efficacy of genetically engineered crops.

Improving the nutritional quality of horticultural crops through genetic engineering has garnered significant attention. The development of Golden Rice, which produces provitamin A, is one of the most well-known examples. Paine *et al.* (2005) ^[5] demonstrated that genetic modifications to the rice biosynthetic pathway could significantly increase provitamin A content, addressing vitamin A deficiency in developing countries.

Garg *et al.* (2018) ^[6] reviewed various biofortification strategies in horticultural crops, including the enhancement of essential amino acids, antioxidants, and other health-promoting compounds. Their findings highlighted the potential of genetic engineering to improve the nutritional profile of fruits and vegetables, contributing to better human health outcomes.

Environmental stresses such as drought, salinity, and extreme temperatures pose significant challenges to horticultural crop production. Genetic engineering offers solutions to these challenges by introducing genes that confer stress tolerance. Yamaguchi-Shinozaki and Shinozaki (2006) ^[7] reviewed transcriptional regulatory networks involved in plant responses to dehydration and cold stresses. Their work demonstrated that overexpression of stress-responsive genes could enhance plant tolerance to adverse environmental conditions.

In another study, researchers used genetic engineering to develop tomato plants with enhanced salt tolerance by overexpressing genes involved in osmotic regulation. This research showcased the potential of genetic modifications to improve crop resilience to salinity, a growing concern in many agricultural regions.

Various methodologies have been employed in genetic engineering, each with its own set of advantages and limitations. Traditional transgenic approaches, involving *Agrobacterium*-mediated transformation or biolistic methods, have been widely used but often face regulatory and public acceptance challenges due to the introduction of foreign genes.

The advent of CRISPR/Cas9 technology has revolutionized plant genome editing, offering precise and efficient methods for targeted genetic modifications. Bortesi and Fischer (2015) ^[8] reviewed the application of CRISPR/Cas9 in plant breeding, highlighting its potential to introduce beneficial mutations, knock out undesirable genes, and insert new genes at specific loci. The precision and versatility of CRISPR/Cas9 have made it a preferred tool for horticultural crop improvement.

The deployment of genetically engineered horticultural crops is subject to stringent regulatory frameworks to ensure their safety for human consumption and the environment. Davison (2010) ^[9] discussed the regulatory landscape for genetically modified (GM) plants in the European Union, emphasizing the need for comprehensive risk assessments and public engagement to address concerns about food safety, environmental sustainability, and ethical considerations.

The impact of genetic engineering

1. Advancements in crop yield

Genetic engineering has revolutionized the field of horticulture by enabling precise modifications in plant genomes, significantly enhancing crop yield. Yield improvement is paramount in horticulture as it directly influences food security and the profitability of agricultural enterprises. Traditional breeding methods have their limitations, including long breeding cycles and limited genetic variability. Genetic engineering, however, allows for the direct and rapid introduction of beneficial traits, overcoming these constraints.

One major area of focus in enhancing crop yield through genetic engineering is the optimization of photosynthesis. Photosynthesis is the fundamental process by which plants convert light energy into chemical energy, fuelling their growth and development. Improving the efficiency of this process can lead to substantial increases in biomass production and crop yield. Long *et al.* (2006) ^[1] conducted a landmark study that explored the potential of enhancing photosynthesis-related genes to increase crop yields. They identified key enzymes in the Calvin cycle, such as ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco), and suggested that modifying the expression levels of these enzymes could enhance the overall photosynthetic efficiency. This genetic modification allows plants to utilize light and carbon dioxide more efficiently, leading to greater biomass accumulation and higher yields.

Another significant advancement is the genetic modification of plants to improve nutrient uptake and utilization. Nutrient availability in the soil is a critical factor that influences crop yield. Genetic engineering can enhance the efficiency with which plants absorb and utilize essential nutrients such as nitrogen, phosphorus, and potassium. For instance, overexpression of genes involved in nitrogen assimilation pathways can lead to improved nitrogen use efficiency, reducing the need for synthetic fertilizers and increasing crop yields. Studies have shown that transgenic plants with enhanced nutrient uptake capabilities exhibit better growth and higher productivity, even in nutrient-poor soils.

Stress tolerance is another crucial factor influencing crop yield. Environmental stresses such as drought, salinity, and extreme temperatures can severely impact plant growth and productivity. Genetic engineering offers solutions by introducing genes that confer tolerance to these stresses. Nelson *et al.* (2007) ^[2] demonstrated that overexpression of nuclear factor Y (NF-Y) subunits in maize led to improved drought tolerance and increased yields under water-limited conditions. These genetically modified plants showed better water retention and stress response mechanisms, allowing them to maintain growth and productivity during periods of drought. This advancement is particularly significant in the context of climate change, where extreme weather events and water scarcity are becoming more frequent.

Pest and disease pressure also play a critical role in determining crop yield. Genetic engineering has enabled the development of crops with enhanced resistance to pests and diseases, reducing the reliance on chemical pesticides and minimizing crop losses. The introduction of *Bacillus thuringiensis* (Bt) genes into crops such as tomatoes and eggplants has provided effective protection against lepidopteran pests. Bt crops produce proteins that are toxic to specific insects but safe for human consumption and beneficial insects, offering a sustainable pest management

solution (Shelton *et al.*, 2002) ^[3]. By reducing pest damage, these genetically engineered crops can achieve higher yields and better quality produce. Moreover, genetic engineering has facilitated the development of crops with modified growth habits and increased reproductive efficiency. For example, modifying genes that control flowering time and fruit development can lead to earlier maturation and higher fruit set, resulting in increased yields. Genetic modifications that enhance the production of growth hormones such as gibberellins can also promote vigorous growth and higher biomass accumulation. These changes can significantly impact the overall productivity of horticultural crops, making them more suitable for commercial cultivation and ensuring a consistent supply of high-yielding varieties. In summary, genetic engineering has made substantial contributions to enhancing crop yield in horticulture through various mechanisms. By improving photosynthetic efficiency, nutrient uptake, stress tolerance, pest and disease resistance, and growth habits, genetically engineered crops can achieve higher productivity and better performance under diverse environmental conditions. The continued development and adoption of these technologies hold great promise for addressing the challenges of global food security and sustainable agriculture.

2. Pest and Disease Resistance

The enhancement of pest and disease resistance through genetic engineering represents a major advancement in horticultural crop improvement. This approach significantly reduces crop losses, minimizes the reliance on chemical pesticides, and promotes sustainable agricultural practices. Traditional methods of breeding for pest and disease resistance can be time-consuming and limited by the genetic variability available within a species. Genetic engineering, however, allows for the direct introduction of specific resistance traits, offering precise and effective solutions.

One of the most notable successes in this field is the development of crops expressing *Bacillus thuringiensis* (Bt) genes. Bt is a soil bacterium that produces proteins toxic to certain insects but safe for humans and other non-target organisms. By incorporating Bt genes into the genomes of crops such as tomatoes, eggplants, and cotton, scientists have created plants that can defend themselves against lepidopteran pests. Shelton *et al.* (2002) ^[3] demonstrated that Bt-transgenic crops effectively resist pest attacks, leading to higher yields and reduced pesticide use. These crops produce Bt toxins throughout their tissues, providing continuous protection against insect pests. The widespread adoption of Bt crops has significantly decreased the environmental and health impacts associated with chemical pesticide use.

In addition to insect resistance, genetic engineering has also been employed to develop crops resistant to viral, bacterial, and fungal diseases. One prominent example is the development of transgenic papaya resistant to the papaya ringspot virus (PRSV). The PRSV outbreak in the 1990s devastated papaya production in Hawaii, threatening the viability of the industry. By introducing a gene encoding the viral coat protein into papaya plants, researchers created transgenic varieties that exhibited strong resistance to the virus (Fuchs & Gonsalves, 2007) ^[4]. These transgenic papayas have been widely adopted by farmers, effectively controlling the disease and revitalizing the industry. This success story highlights the potential of genetic engineering

to address significant agricultural challenges. Another notable example is the development of virus-resistant squash. The introduction of genes from the zucchini yellow mosaic virus and the watermelon mosaic virus into squash plants has provided resistance to these devastating pathogens. This genetic modification has enabled consistent and reliable production of squash in regions prone to viral outbreaks, reducing crop losses and stabilizing market supply. Fungal and bacterial pathogens also pose significant threats to horticultural crops. Genetic engineering has facilitated the development of crops with enhanced resistance to these diseases by introducing genes that encode antimicrobial proteins or enzymes involved in pathogen defense. For example, transgenic potatoes expressing a gene from the bacterium *Bacillus subtilis* that encodes an enzyme degrading the cell walls of fungal pathogens have shown increased resistance to late blight, a destructive disease caused by *Phytophthora infestans* (Collinge *et al.*, 2010). Similarly, the expression of chitinase genes, which break down chitin in fungal cell walls, has been used to enhance resistance to fungal diseases in various horticultural crops, including tomatoes and strawberries. The use of RNA interference (RNAi) technology is another innovative approach to enhancing pest and disease resistance. RNAi involves the silencing of specific genes critical for the survival or virulence of pests and pathogens. For instance, researchers have developed RNAi-based strategies to target genes in nematodes, reducing their ability to infect and damage crops. This method has shown promise in protecting crops such as bananas and tomatoes from nematode infestations, offering a sustainable alternative to chemical nematicides (Huang *et al.*, 2006).

3. Nutritional Quality Enhancement

Improving the nutritional quality of horticultural crops is another significant achievement of genetic engineering. Biofortification, the process of increasing the nutrient content of crops, has been applied to enhance vitamins, minerals, and other beneficial compounds. The development of "Golden Rice," which is genetically engineered to produce provitamin A, is a prominent example of biofortification aimed at addressing vitamin A deficiency in developing countries (Paine *et al.*, 2005) ^[5]. Similarly, genetic engineering has been used to increase the content of essential amino acids, antioxidants, and other health-promoting compounds in fruits and vegetables (Garg *et al.*, 2018) ^[6].

4. Environmental Adaptability

Environmental stresses, such as drought, salinity, and extreme temperatures, pose significant challenges to horticultural crop production. Genetic engineering offers solutions by introducing genes that enhance stress tolerance. For instance, the overexpression of genes involved in osmotic regulation and stress-responsive pathways has led to the development of transgenic crops with improved tolerance to drought and salinity (Yamaguchi-Shinozaki & Shinozaki, 2006) ^[7]. These advancements are crucial for sustaining crop production in the face of climate change and environmental degradation.

Conclusion

Genetic engineering has significantly advanced horticultural crop improvement, offering solutions to challenges in yield,

pest and disease resistance, nutritional quality, and environmental adaptability. The methodologies employed, particularly CRISPR/Cas9 have revolutionized the precision and efficiency of genetic modifications. However, the successful integration of genetically engineered crops into agricultural systems requires careful consideration of regulatory, ethical, and societal factors. Continued research and responsible deployment of these technologies hold the promise of enhancing global food security and promoting sustainable horticultural practices.

References

1. Long SP, Zhu X-G, Naidu SL, Ort DR. Can improvement in photosynthesis increase crop yields? *Plant Cell Environ.* 2006;29(3):315-30.
2. Nelson DE, Repetti PP, Adams TR, Creelman RA, Warner DC, Anstrom DC, *et al.* Plant nuclear factor Y (NF-Y) B subunits confer drought tolerance and lead to improved corn yields on water-limited acres. *Proc Natl Acad Sci U S A.* 2007;104(42):16450-5.
3. Shelton AM, Zhao JZ, Roush RT. Economic, ecological, food safety, and social consequences of the deployment of Bt transgenic plants. *Annu Rev Entomol.* 2002;47(1):845-81.
4. Fuchs M, Gonsalves D. Safety of virus-resistant transgenic plants two decades after their introduction: Lessons from realistic field risk assessment studies. *Annu Rev Phytopathol.* 2007;45(1):173-202.
5. Paine JA, Shipton CA, Chaggar S, Howells RM, Kennedy MJ, Vernon G, *et al.* Improving the nutritional value of Golden Rice through increased pro-vitamin A content. *Nat Biotechnol.* 2005;23(4):482-7.
6. Garg M, Sharma N, Sharma S, Kapoor P, Kumar A, Chunduri V, *et al.* Biofortified crops generated by breeding, agronomy, and transgenic approaches are improving the lives of millions of people around the world. *Front Nutr.* 2018;5:12.
7. Yamaguchi-Shinozaki K, Shinozaki K. Transcriptional regulatory networks in cellular responses and tolerance to dehydration and cold stresses. *Annu Rev Plant Biol.* 2006;57(1):781-803.
8. Bortesi L, Fischer R. The CRISPR/Cas9 system for plant genome editing and beyond. *Biotechnol Adv.* 2015;33(1):41-52.
9. Davison J. GM plants: Science, politics and EC regulations. *Plant Sci.* 2010;178(2):94-8.