



E-ISSN: 2663-1067
P-ISSN: 2663-1075
<https://www.hortijournal.com>
IJHFS 2023; 5(2): 99-102
Received: 11-10-2023
Accepted: 15-11-2023

Dr. De Bakker
Department of Agriculture,
the Agricultural Research
Centre, Wageningen
University, Netherlands

Dr. Sophie Emma Vries
Department of Agriculture,
the Agricultural Research
Centre, Wageningen
University, Netherlands

Dr. Iris Jansen
Department of Agriculture,
the Agricultural Research
Centre, Wageningen
University, Netherlands

Corresponding Author:
Dr. De Bakker
Department of Agriculture,
the Agricultural Research
Centre, Wageningen
University, Netherlands

Growth and yield performance of fruit vegetables in aeroponic systems

De Bakker, Sophie Emma Vries and Iris Jansen

DOI: <https://doi.org/10.33545/26631067.2023.v5.i2b.214>

Abstract

Aeroponic systems, a soilless method of growing plants, have shown promise for enhancing the growth and yield of fruit vegetables. This study evaluates the growth and yield performance of various fruit vegetables cultivated in aeroponic systems compared to traditional soil-based methods. Parameters such as growth rate, fruit yield, and nutritional content were measured to determine the effectiveness of aeroponics in optimizing plant performance.

Keywords: Aeroponics, fruit vegetables, growth performance, yield, soilless cultivation, nutritional content

Introduction

The demand for sustainable and efficient agricultural practices is increasing due to the growing global population and the need for food security. Aeroponic systems, which involve growing plants in an air or mist environment without the use of soil, have emerged as a viable alternative to traditional farming methods. These systems offer numerous advantages, including improved nutrient delivery, reduced water usage, and the potential for higher yields. This study aims to investigate the growth and yield performance of selected fruit vegetables grown in aeroponic systems.

Objective

The objective of this study is to evaluate the growth and yield performance of selected fruit vegetables cultivated in aeroponic systems compared to traditional soil-based methods.

Literature Review

Previous research has demonstrated the benefits of aeroponic systems for various crops. For instance, Chang *et al.* (2012) ^[2] reported increased growth rates and yields for lettuce and spinach in aeroponic systems compared to soil-based cultivation. Similarly, Barak *et al.* (2018) ^[1] observed enhanced nutrient uptake and biomass production in tomatoes grown aeroponically. However, there is limited research on the specific impact of aeroponic systems on fruit vegetables, necessitating further investigation.

Methodology

Materials

This study used seedlings of three fruit vegetables: tomatoes (*Solanum lycopersicum*), cucumbers (*Cucumis sativus*), and bell peppers (*Capsicum annuum*). The plants were cultivated in both aeroponic and traditional soil-based systems within a controlled environment at the Agricultural Research Center, Wageningen University, Netherlands. The aeroponic system comprised custom-built setups with roots suspended in the air and periodically misted with a nutrient solution optimized for each plant species. The soil-based system used standard potting mix in pots with regular watering and fertilization.

Sample Size

A total of 120 plants were used, with 20 plants per vegetable type in both aeroponic and soil-based systems.

Data Collection

Data were collected on growth parameters, including plant height, leaf number, root length, and overall biomass, at 2-week intervals over a 12-week growing period. Yield parameters, including the number of fruits and total fruit mass per plant, were recorded at the end of the growing period. Nutritional analysis of the fruits was performed to measure key nutrients such as vitamins, minerals, and antioxidants using standard laboratory methods.

Experimental Analyses

Growth parameters were measured using a ruler for plant height, manual counting for leaf number, and a measuring tape for root length. Biomass was determined by drying the plant material and weighing it. Yield parameters involved counting the fruits and measuring their mass using a digital scale. Nutritional content was analyzed using high-

performance liquid chromatography (HPLC) and atomic absorption spectroscopy (AAS) for vitamins and minerals, respectively, and spectrophotometric methods for antioxidants.

Statistical Analysis

Data were analyzed using analysis of variance (ANOVA) to compare the growth and yield parameters between the aeroponic and soil-based systems. Statistical significance was set at $p < 0.05$. The results were presented as mean \pm standard deviation, and graphical representations were created to visualize the differences between the two cultivation methods

Results

Growth Parameters

Table 1: Growth Parameters of Fruit Vegetables in Aeroponic and Soil-Based Systems

Plant Type	System	Average Plant Height (cm)	Average Leaf Number	Average Root Length (cm)	Average Biomass (g)
Tomatoes	Aeroponic	85	35	25	150
Tomatoes	Soil-based	68	28	18	110
Cucumbers	Aeroponic	92	40	28	180
Cucumbers	Soil-based	76	32	22	140
Bell Peppers	Aeroponic	78	30	23	130
Bell Peppers	Soil-based	64	24	17	100

Aeroponically grown plants exhibited superior growth characteristics across all measured parameters. For instance, tomatoes grown in aeroponic systems had an average plant height of 85 cm, significantly higher than the 68 cm observed in soil-based systems. Similar trends were observed in cucumbers and bell peppers, where aeroponic cultivation led to taller plants, greater leaf numbers, longer

root lengths, and higher biomass. The increased root length and biomass in aeroponic systems can be attributed to the efficient delivery of nutrients and oxygen directly to the root zone, promoting healthier and more robust plant growth.

Yield Parameters

Table 2: Yield Parameters of Fruit Vegetables in Aeroponic and Soil-Based Systems

Plant Type	System	Average Fruit Number	Total Fruit Mass (g)
Tomatoes	Aeroponic	40	850
Tomatoes	Soil-based	30	650
Cucumbers	Aeroponic	25	1000
Cucumbers	Soil-based	18	750
Bell Peppers	Aeroponic	20	500
Bell Peppers	Soil-based	14	390

The yield of fruit vegetables was notably higher in aeroponic systems. Aeroponic tomatoes produced an average of 40 fruits per plant with a total mass of 850 grams, compared to 30 fruits and 650 grams in soil-based systems. Cucumbers and bell peppers also showed similar improvements in fruit number and total mass. The higher

yield in aeroponic systems is likely due to the optimal growing conditions that minimize stress and maximize nutrient uptake, resulting in more vigorous and productive plants.

Nutritional Content

Table 3: Nutritional Content of Fruits from Aeroponic and Soil-Based Systems

Plant Type	System	Vitamin C (mg/100g)	Calcium (mg/100g)	Antioxidants (mg/100g)
Tomatoes	Aeroponic	25	10	30
Tomatoes	Soil-based	20	8	25
Cucumbers	Aeroponic	18	15	20
Cucumbers	Soil-based	15	12	18
Bell Peppers	Aeroponic	45	25	35
Bell Peppers	Soil-based	35	20	28

Fruits harvested from aeroponic systems exhibited higher concentrations of essential nutrients compared to those from soil-based systems. For example, aeroponic tomatoes had a higher vitamin C content (25 mg/100g) compared to soil-

based tomatoes (20 mg/100g). Similarly, cucumbers and bell peppers grown aeroponically showed enhanced levels of calcium and antioxidants. The improved nutritional content can be linked to the precise control over nutrient

supply in aeroponic systems, ensuring that plants receive balanced and sufficient nutrients throughout their growth cycle. Overall, the study demonstrates the advantages of aeroponic systems in promoting better growth, higher yields, and enhanced nutritional quality of fruit vegetables. These findings support the potential of aeroponics as a sustainable and efficient alternative to traditional soil-based cultivation, particularly in regions facing soil degradation or water scarcity. Further research should explore the scalability of aeroponic systems and optimize nutrient formulations to maximize the benefits observed in this study.

Discussion

The study highlights the significant advantages of aeroponic systems over traditional soil-based cultivation methods for fruit vegetables, demonstrating improvements in growth parameters, yield, and nutritional content. The aeroponic system's ability to deliver nutrients and oxygen directly to the root zone creates an optimal environment for plant growth, which is evident from the superior performance of aeroponically grown plants across all measured parameters. The growth parameters, including plant height, leaf number, root length, and biomass, were significantly enhanced in aeroponic systems. This can be attributed to the efficient nutrient uptake and oxygenation provided by the aeroponic misting system. The roots are exposed to a high-oxygen environment and receive a continuous supply of nutrients, leading to robust root development and overall plant health. The observed increase in plant height and leaf number suggests that aeroponically grown plants have a greater photosynthetic capacity, which likely contributes to their enhanced growth and productivity. Yield parameters also showed marked improvement in the aeroponic system. The increased number of fruits and higher total fruit mass indicate that aeroponic cultivation promotes not only vegetative growth but also reproductive success. The uniform and controlled delivery of nutrients ensures that the plants receive adequate nourishment during critical growth phases, leading to more prolific fruiting. This is particularly important for commercial production, where yield directly impacts profitability. The nutritional content of the fruits was significantly higher in the aeroponic system. The elevated levels of vitamins, minerals, and antioxidants suggest that aeroponically grown fruits are more nutrient-dense. This enhancement in nutritional quality is likely due to the precise control over nutrient solutions in aeroponics, allowing for tailored supplementation to meet the plants' specific needs. The improved nutritional profile of the fruits makes them more valuable in the market, catering to health-conscious consumers. The study's findings align with previous research indicating that soilless cultivation methods, such as hydroponics and aeroponics, can offer significant benefits over traditional soil-based methods. However, the specific advantages observed in aeroponics, such as improved root aeration and nutrient delivery, provide a compelling case for its adoption in commercial agriculture. The ability to grow plants in a controlled environment reduces the risk of soil-borne diseases and pests, further enhancing crop quality and yield. Despite these advantages, there are challenges associated with aeroponic systems that need to be addressed. The initial setup costs and the need for continuous monitoring and maintenance of the nutrient delivery system can be barriers

to widespread adoption. Additionally, the scalability of aeroponic systems for large-scale production remains an area for further research. Optimizing nutrient formulations and developing cost-effective, scalable systems will be crucial for maximizing the potential benefits of aeroponics. In conclusion, this study demonstrates the substantial benefits of aeroponic systems for growing fruit vegetables, including enhanced growth, higher yields, and improved nutritional content. These findings support the potential of aeroponics as a sustainable and efficient alternative to traditional soil-based cultivation. Future research should focus on overcoming the challenges of scalability and cost, ensuring that the advantages of aeroponics can be leveraged for large-scale agricultural production.

Conclusion

This study demonstrates the significant benefits of aeroponic systems for the cultivation of fruit vegetables, showcasing enhanced growth parameters, higher yields, and improved nutritional content compared to traditional soil-based methods. The findings highlight the potential of aeroponics to revolutionize sustainable agriculture by providing an efficient, soil-free cultivation method that maximizes plant health and productivity. Looking towards the future, the prospects for aeroponic systems are promising. With the increasing global demand for food and the growing challenges posed by soil degradation, water scarcity, and climate change, aeroponics offers a viable solution for high-density, high-efficiency crop production. The ability to precisely control nutrient delivery and environmental conditions can lead to the development of tailored cultivation protocols that optimize growth and yield for a wide variety of crops. Future research should focus on several key areas to fully realize the potential of aeroponics. First, optimizing nutrient formulations specific to different plant species will ensure that crops receive the exact nutrients they need at each growth stage. Second, efforts to reduce the initial setup costs and simplify system maintenance will make aeroponic systems more accessible to a broader range of growers, from small-scale farmers to large commercial operations. Third, scaling up aeroponic systems for industrial-scale production requires innovative designs that maintain the benefits observed in smaller setups while ensuring cost-effectiveness and operational efficiency. Additionally, integrating aeroponics with other advanced agricultural technologies, such as automation, artificial intelligence, and real-time monitoring systems, can further enhance the precision and efficiency of crop management. These advancements will help create resilient agricultural systems capable of withstanding the pressures of a changing climate and a growing population.

In conclusion, aeroponic systems hold great promise for the future of agriculture, offering a sustainable, efficient, and scalable solution for the cultivation of fruit vegetables and potentially other crops. By addressing current challenges and leveraging technological advancements, aeroponics can play a critical role in meeting the world's food production needs in an environmentally friendly manner.

References

1. Barak P, Smith R, Lee J, Johnson K, Clark M. Nutrient uptake and biomass production in tomatoes grown in aeroponic systems. *Hortic Sci.* 2018;44(2):132-140.
2. Chang Y, Li X, Wang Z, Chen H, Zhang T, Liu Q, *et*

- al.* Growth and yield of lettuce and spinach in aeroponic systems. *J Agric Sci.* 2012;10(3):45-52.
3. Jensen MH, Malter AJ. Protected agriculture: A global review. World Bank Technical Paper Number 253. Washington, D.C.: World Bank; c1995.
 4. Massantini R, Grassi M, Ferri M, Lambardi M. Effects of different growth media on strawberry production. *J Hortic Sci. Biotechnol.* 2008;83(1):117-121.
 5. Nichols MA, Christie BR. Nutrient solution effects on lettuce grown in aeroponics and hydroponics. *Acta Hortic.* 2002;554:181-188.
 6. Okimura T, Kanematsu S. Growth of tomato plants in aeroponic and hydroponic cultures. *Soilless Cult.* 1995;11(4):235-246.
 7. Resh HM. *Hydroponic Food Production: A Definitive Guidebook for the Advanced Home Gardener and the Commercial Hydroponic Grower.* Boca Raton: CRC Press; c2012.
 8. Ray PK, Singh RN, Kumar A. "Review on organic farming of vegetables in India: problems and prospects". *International Journal of Ecology and Environmental Sciences.* 2022;4(2):32-35.
 9. Stoner RJ, Clawson JM. Aeroponics: Plant rooting control in the 21st century. *Acta Hortic.* 1999;502:287-295.